


End closure



Available in heights (H):

50

75

100

Dimension						Thickness	Weight	Technical Info		Code
W (B)	01	03	11	15	40	[mm]	[Kg]	a	w (b)	
100	01	03	11	15	40	1,00	0,11	101	103	T0 250 1010
150	01	03	11	15	40	1,00	0,16	101	153	T0 250 1015
200	01	03	11	15	40	1,00	0,20	101	203	T0 250 1020
300	01	03	11	15	40	1,00	0,29	101	303	T0 250 1030
400	01	03	11	15	40	1,00	0,37	101	403	T0 250 1040
500	01	03	11	15	40	1,00	0,46	101	503	T0 250 1050
600	01	03	11	15	40	1,00	0,54	101	603	T0 250 1060

Certifications



E471266



List of Coatings

Galvanization (Sendzimir method) - UNI EN 10346

Hot dip galvanizing - UNI EN ISO 1461

Grey RAL 7032 - ISO9227-ISO6270-ISO2810

Blue RAL 5015 - ISO9227-ISO6270-ISO2810

Stainless steel AISI 304 - UNI EN 10088

Certified System

- IMQ

- EN 61537-1 ed.2007

- EN 50085-1:2005 ed EN 50085-2-1:2006

- UL file E471266

Attention: for ZT and ZM material sold/assembled in U.S.A. and Canada, please require UL mark

End closure

Assembly

H 50		n. 2 M6x10 / M6x12	TO 620 0610 / TO 620 0512
		n. 2 M6	TO 621 0600
		for each end closure	
H 75-100		n. 4 M6x10 / M6x12	TO 620 0610 / TO 620 0612
		n. 4 M6	TO 621 0600
		for each end closure	

Not included

