


End closure



Available in heights (H):

- 50
- 75
- 100

Dimension					Thickness	Weight	Technical Info		Code	
W (B)	01	03	11	15	40	[mm]	[Kg]	a	w (b)	
50	01	03	11	15	40	1,00	0,03	51	53	T0 250 0505
100	01	03	11	15	40	1,00	0,05	51	103	T0 250 0510
150	01	03	11	15	40	1,00	0,08	51	153	T0 250 0515
200	01	03	11	15	40	1,00	0,10	51	203	T0 250 0520
300	01	03	11	15	40	1,00	0,15	51	303	T0 250 0530
400	01	03	11	15	40	1,00	0,19	51	403	T0 250 0540
500	01	03	11	15	40	1,00	0,24	51	503	T0 250 0550
600	01	03	11	15	40	1,00	0,29	51	603	T0 250 0560

Certifications



List of Coatings

- Galvanization (Sendzimir method) - UNI EN 10346
- Hot dip galvanizing - UNI EN ISO 1461
- Grey RAL 7032 - ISO9227-ISO6270-ISO2810
- Blue RAL 5015 - ISO9227-ISO6270-ISO2810
- Stainless steel AISI 304 - UNI EN 10088

Certified System

- IMQ
- EN 61537-1 ed.2007
- EN 50085-1:2005 ed EN 50085-2-1:2006
- UL file E471266
- Attention: for ZT and ZM material sold/assembled in U.S.A. and Canada, please require UL mark

## End closure

## Assembly

H 50		n. 2 M6x10 / M6x12	TO 620 0610 / TO 620 0512
		n. 2 M6	TO 621 0600
		for each end closure	
H 75-100		n. 4 M6x10 / M6x12	TO 620 0610 / TO 620 0612
		n. 4 M6	TO 621 0600
		for each end closure	

Not included

