


## End closure



Available in heights (H):

50

75

100

Dimension						Thickness	Weight	Technical Info		Code
W (B)	01	03	11	15	40	[mm]	[Kg]	a	w (b)	
75	01	03	11	15	40	1,00	0,07	76	78	T0 250 0707
100	01	03	11	15	40	1,00	0,08	76	103	T0 250 0710
150	01	03	11	15	40	1,00	0,12	76	153	T0 250 0715
200	01	03	11	15	40	1,00	0,15	76	203	T0 250 0720
300	01	03	11	15	40	1,00	0,22	76	303	T0 250 0730
400	01	03	11	15	40	1,00	0,28	76	403	T0 250 0740
500	01	03	11	15	40	1,00	0,35	76	503	T0 250 0750
600	01	03	11	15	40	1,00	0,42	76	603	T0 250 0760

## Certifications



## List of Coatings

 Galvanization (Sendzimir method) - UNI EN 10346

 Hot dip galvanizing - UNI EN ISO 1461

 Grey RAL 7032 - ISO9227-ISO6270-ISO2810

 Blue RAL 5015 - ISO9227-ISO6270-ISO2810

 Stainless steel AISI 304 - UNI EN 10088

## Certified System

- IMQ
- EN 61537-1 ed.2007
- EN 50085-1:2005 ed EN 50085-2-1:2006
- UL file E471266
- Attention: for ZT and ZM material sold/assembled in U.S.A. and Canada, please require UL mark

## End closure

### Assembly

<b>H 50</b>		n. 2 M6x10 / M6x12	<b>TO 620 0610 / TO 620 0512</b>
		n. 2 M6	<b>TO 621 0600</b>
		for each end closure	
<b>H 75-100</b>		n. 4 M6x10 / M6x12	<b>TO 620 0610 / TO 620 0612</b>
		n. 4 M6	<b>TO 621 0600</b>
		for each end closure	

*Not included*

