


## Flange for reducer for panel mount



Available in heights (H):

50

75

100

Dimension					Thickness	Weight	Technical Info				Code	
W (B)					[mm]	[Kg]	a	w (b)	c	d		
75	01	03	11	15	40	1,50	0,11	100	125	100	75	T0 261 0707
100	01	03	11	15	40	1,50	0,12	100	150	125	75	T0 261 0710
150	01	03	11	15	40	1,50	0,14	100	200	175	75	T0 261 0715
200	01	03	11	15	40	1,50	0,16	100	250	225	75	T0 261 0720
300	01	03	11	15	40	1,50	0,20	100	350	325	75	T0 261 0730
400	01	03	11	15	40	1,50	0,24	100	450	425	75	T0 261 0740
500	01	03	11	15	40	1,50	0,28	100	550	525	75	T0 261 0750
600	01	03	11	15	40	1,50	0,32	100	650	625	75	T0 261 0760

### Certifications



### List of Coatings

- Galvanization (Sendzimir method) - UNI EN 10346
- Hot dip galvanizing - UNI EN ISO 1461
- Grey RAL 7032 - ISO9227-ISO6270-ISO2810
- Blue RAL 5015 - ISO9227-ISO6270-ISO2810
- Stainless steel AISI 304 - UNI EN 10088

### Certified System

- IMQ
- EN 61537-1 ed.2007
- EN 50085-1:2005 ed EN 50085-2-1:2006
- UL file E471266
- Attention: for ZT and ZM material sold/assembled in U.S.A. and Canada, please require UL mark

## Flange for reducer for panel mount

### Assembly

H 50		n. 2 M6x10 / M6x12	<b>TO 620 0610 / TO 620 0612</b>
		n. 2 M6	<b>TO 621 0600</b>
for each flange			
H 75- 100		n. 4 M6x10 / M6x12	<b>TO 620 0610 / TO 620 0612</b>
		n. 4 M6	<b>TO 621 0600</b>
for each flange			

*Not included*

